HOME BUILDERS' CATALOGUE

of

WUNDERLICH MANUFACTURES

AUSTRALIAN PRODUCTS FOR AUSTRALIANS

S 840 -

Wunderlich Manufactures

INDEX

METAL WORK

TRADE MARK

Three Examples of Steel Ceilings - 3
Art Metal Ceilings - - - - 4
Steel Ceiling Diaper Patterns - - 6
Steel Ceiling Borders - - - 9
Plain and Enriched Mouldings - - 14
Enriched Steel Cornices - - - 15
How to Fix Wunderlich Metal Ceilings 16
Steel Dado Panels and Wall Linings - 19
Steel Centre Flowers - - - - 20
Zinc and Steel Ventilators, etc. - - 21
Stamped Sheets for Exteriors - - 22
Complete Wunderlich Shop Front - 23
Complete Wunderlich Shop Fronts - 24
Showcases—
Metal Shop Front Mouldings - 25
Examples of Wunderlich Exteriors - 26

"DURABESTOS"

ASBESTOS — CEMENT
SHEETS AND SLATES

"ROOFING TILES"

PLASTER BOARD "CEILYTE"

TRADE MARK

Durabestos Sheets for Walls - 27, 28
Durabestos Shingles and Slates - 29, 30, 31
Durabestos Sizes, Weights, etc. - 32
"Ceilyte" Plaster Board - - - 33
Terra-Cotta Roofing Tiles - - 34
Terra-Cotta Roofing Accessories - 35
Specifications, etc. - - - - 36

WUNDERLICH LIMITED

MANUFACTURERS

Head Office - - BAPTIST STREET, REDFERN - - SYDNEY

SYDNEY
Postal Address: Box 474, G.P.O.
Showrooms: Baptist St., Redfern

MELBOURNE
Postal Address: Box 375, G.P.O.
Showrooms: 243 Collins Street

ADELAIDE
Postal Address: Box 301, G.P.O.
Showrooms: 113-119 Currie St.

PERTH
Postal Address: Box 383, G.P.O.
Showrooms: Lord Street

BRISBANE
Postal Address: 12 P.O., Valley
Showrooms: Amelia St., Valley

NEWCASTLE
53 Hunter Street

HOBART: Macquarie Street

LAUNCESTON: St. John Street

FOREWORD

THE Production of the "Wunderlich" Manufactures is the result of the concentrated efforts of the Wunderlich Brothers in the foundation of the Australian Metal Ceiling Industry, in 1887. Since the inception of this business it has grown from a small group of craftsmen to the establishment of extensive works, employing a large staff in each State of the Commonwealth.

The success of this business is due to the co-ordinated efforts of the staff to produce only perfect products, and to the service rendered to Home-Builders by helpful suggestions in their building problems.

This booklet has been compiled to aid the Home-Builder in the selection of materials that will provide him with not merely a habitation but a HOME, and that will furnish him with the information about the materials which can be utilised with the greatest economy. Only a very limited selection of materials and designs selected from the "Wunderlich" Manufacture can be illustrated herein; but from these the Home-Builder will be enabled to select those most suited to his requirements. For his further help and guidance we retain a staff of artists and draughtsmen who possess a special knowledge of technical design as applied to building requirements. Their services are at our clients' disposal for the preparation of sketches and estimates, on receipt of plans and sizes of the work required.

The main features in this booklet are:

Wunderlich Stamped Art Metal Ceilings.
Stamped Metal Accessories.
Walling and Roofing in Metal.
Metal Shop-fronts and Fittings.
Show Cases, Counter-fronts, Signs, etc.
"Durabestos" the Durable Asbestos-Cement Building Sheets, Slates and Shingles.
"Ceilyte"—The Australian Plaster Board.
Wunderlich "Marseille" Pattern Terra-Cotta Roofing Tiles and Terra-Cotta Accessories.

These products are obtainable from Wunderlich Limited and their accredited distributors, who can be found not only in Australia and New Zealand, but also in far distant towns in the Islands and the Far East. Our Trade Marks are your guide and our guarantee that you obtain the Wunderlich Manufactures. Clients should order only by the Catalogue number and by the trade names.

The Company resolutely adheres to the policy first adopted and rigidly carried out since the inception of the business, viz., to produce only FIRST-CLASS WORK, but at lowest prices consistant with unvarying excellence of materials and workmanship, thereby ensuring satisfaction to its clients.

WUNDERLICH LIMITED

Z.A. No. 92
1.4.'23

Three Examples of Rooms in Modern Homes, which are given a beautiful and distinctive appearance by the use of the

WUNDERLICH ART METAL CEILINGS

Throughout the Home, from Kitchen to Bedroom, Metal Ceilings are exceptionally well adapted to meet all climatic conditions; they provide protection against fire, and a surface hygienically perfect; these Ceilings are universally popular among Home Builders.



The well-designed Ceiling of a room adds charm and distinction to the individual note of decoration, enhancing the Architectural features of the Building.

Illustrating portion of Ceiling Area with Cornice, Border and Moulding



Moulding No. **201.**
Border No. **1029.**
Cornice No. **1110.**
And Mitre Leaves.



Panelling No. **1499.**
Pattern 24in. x 24in.
Stock Size Sheets,
6ft. x 2ft.

In the Home, School or Office Building, the Wunderlich Art Metal Ceilings meet all requirements where cleanliness and wear-resisting qualities are necessary.
A Wunderlich Ceiling of charming design can be erected over existing cracked and broken ceilings, thus renovating and beautifying the room at little inconvenience to the householder or occupants.

DECORATION.

A plain flat white finish always produces an excellent effect for Metal Ceilings. Use white lead or zinc white, ground in linseed oil. For flatted effect, use a larger proportion of turps, and only a small quantity of raw linseed oil in the last coat of paint.

WUNDERLICH METAL CEILING, Size 14ft. 6in. x 10ft. 6in.



Ceiling Design No. 6013.

Panelling No. 1501 (6ft. x 2ft. sheets). Border and Mold No. 1508. Cornice No. 1363.

STAMPED STEEL CEILING DIAPERS



6ins.

No. **150** | 6ins. |



12ins.

No. **1533** See page 9.

These illustrations represent portions of Ceiling Patterns, 24ins. x 24ins. Supplied in stock size sheets, 6ft. x 2ft.



6ins.

No. **1093** | 6ins. |



6ins.

] 6ins.] No. **171**

Steel Ceiling Diapers are used for all-over patterns, and form very effective ceilings when used in conjunction with appropriate cornices, etc.

12ins.

No. **1074** 12ins.



8ins.

8ins. No. **1396**

These illustrations represent portions of Ceiling Patterns, 24ins. x 24ins. Supplied in stock size sheets, 6ft. x 2ft.



12ins.

No. **1071** 12ins.

8ins.

8ins. No. **1118**

Two plain designs in STEEL CEILING DIAPERS



12ins.

No. **1000** 12ins.



12ins.

No. **1354**

STEEL CEILING PANELLING

A Border and Moulding should be used with Ceilings formed from **Panelling,** to take up any irregularity in the size of the room to avoid the cutting of patterns. See ceiling design, Page 4.
Supplied in Sheets 6ft. x 2ft.



24ins.

No. **1381**



24ins.

No. **951**

APPROPRIATE STEEL CEILING BORDERS

(For examples in use see page 5.)

Border Diapers are used to make up any irregularities in the size of a room where patterns (24 inch, etc.) which should not be cut, have been used in the design of the Ceiling. These border patterns are supplied in stock size sheets, 6ft. x 2ft. They are not made with a cover bead joint; and, therefore, **can only be used as a ceiling material to cover a small area.** No. **1406** will be found useful for covering soffits and girder casing.



No. **1406.**



No. **1389.**

These illustrations represent portions of Ceiling Border Patterns, 24in. x 12in.



No. **1387.**



No. **464.**

COMPLETE CEILING 15ft. x 11ft.



Sheeting No. **1533.** Cornice Border **1312.** Centre **1477.** See illustration on page 6.

COMPLETE CEILING DESIGN



A simple and inexpensive design of a
WUNDERLICH METAL CEILING.

Centre Filling, No. 1352 Pattern, 12 inch. Molding, No. 499. Extension, No. 1152.
Cornice-Border Molding, No. 1314, width 8 inches.

IF you will write, giving us particulars of your requirements that will help in guiding us, we will send you designs for your Ceilings that will interest you, with particulars of costs and full details "how to fix" the WUNDERLICH METAL CEILINGS

COMPLETE CEILING DESIGN



The centre portion of this Ceiling is composed of Pattern No. 1351. Molding and Extension Border is shown, with Cornice No. 32.

THE WUNDERLICH METAL CEILINGS possess distinct individuality. The materials possess the advantage of adaptability; moreover, the simple and easy method of fixing and the low cost of transport offer exceptional facilities to the country resident to obtain a reliable and artistic Ceiling at a minimum of expense.

CEILING DESIGN, 12ft. x 9ft.

This illustration shows a portion of Ceiling design. The units of design consist of Panels 36in. x 36in., viz., Corners No. 1456, Border No. 1457, and Filling Panel No. 1458.

Suitable Cornice for the size of any room may be selected. See page 15.

CEILING DESIGN, 12ft. x 9ft.

This illustration represents a complete suite of Panels for Ceiling area. The units of design consist of Panels 36in. x 36in., viz., Corners No. 1435, Border No. 1436, and Filling Panels No. 1437.

Suitable Cornice for the size of any room may be selected. See page 15.

PLAIN AND ENRICHED STEEL MOULDING

No. **201.** 3 inch girth.



No. **1493.** 1¾ inch wide.



No. **204.** 4 inch girth.

No. **499.** 4 inch girth.



No. **1361.** 5 inch girth.

No. **1173.** 7¼ inch girth.

No. **551.** 6½ inch girth. (Dado Mould.)

No. **1484.** 4¾ inch girth. Steel Picture Rail.



No. **1172.** 2½ inch girth. Scotia Moulding.

No. **765.** 5½ inch girth. Plain Steel Cornice.

Supplied in stock lengths of 6 feet. Mouldings are used so that Panelling may be employed in the Ceiling without having the Pattern cut. The Moulding forms the joining piece between body of the Ceiling and the Border. Bosses are used for all mitres

ENRICHED STEEL CORNICES

No. **1312.** 6 inches wide, 8 inch girth.

No. **1076.** 5½ inch girth.



No. **1131.** 7 inch girth.

No. **1130.** 9 inch girth.



No. **955.** 9 inch girth.





No. **1305.** 13 inch girth.

Supplied in lengths of 6 feet. Leaves are used for the mitres of these cornices. The sizes given of the depths of our cornices are from the underside of battens and not underside of joists. When the walls are also to be of metal, sufficient extra flange should be ordered.

(See "How to Fix Wall Linings," Page 16.)

HOW TO FIX METAL CEILINGS

SECTIONS OF CEILINGS SHOWING METHODS OF FIXING.

Wood Brackets at Joints



SECTION No. 1
Diaper Ceiling, Scotia finish.

Having fixed battens, first fix scotia to the ceiling battens. Wood brackets are used at the joints of the scotia On account of the depth of this scotia being less than 2in. no batten is necessary on the wall.



SECTION No. 2
Diaper or panelling cut up to a large border finish.

Being in one piece, the cornice border and moulding is easily fixed. As the border is of a standard width, the ceiling pattern must be cut up to the moulding



SECTION No. 3.
Ceiling of Sheet Panelling, with Cornice, Border and Moulding in three separate pieces

NOTE —Many of our Cornices and Mouldings are provided with a bead on the edge to go over fillings or border pattern, and so avoid close trimming of the sheet.

The use of separate border and moulding enables the pattern in the ceiling to work out with a full ornament. The border can be cut to make up irregularities in the size of the room.

MITRE LEAVES.
Supplied for all angles of Cornices
For Mitre Blocks see page 13.

GENERAL REMARKS.

Where our Metal Ceiling Materials are used, light timbers only are required for ceiling joists.

For fixing, the tools required are:—Hammer, Bradawl, Punch, Pair of Snips, and Saw.

Procedure.—In the case of New Buildings a bevelled ground should be fixed, to which is secured the batten for the bottom of cornice, and the walls floated before the Metal Material is fixed. For old Brick Buildings plugs should be inserted and battens fixed thereto.

For the body of the ceiling mark on the ends of the outside joists the distance which the cornice will project from the walls. These marks denote the Centre of the Batten carrying the top of cornice and the ends of the ceiling sheets. Space out 1½in. x 1in. oregon ceiling battens at 12in. centre to centre, starting from centre of the room, if it is desired that the ceiling pattern should be equal at the sides of the room. With many of our smaller pattern diaper sheetings it is sufficient to start with a pattern from one side and end of the room, in which case the battens can be spaced 12in. centre to centre from the centre of the cornice batten. Cut in cross battens to take the ends of metal sheets. Also, on two sides of the room fix trimmers level with under side of joist, to which nail the cornice batten.

Fix wood brackets behind angles and cornice joints. A batten must be fixed under all joints.

METAL FIXING.

Cornice.—For mitring, allow one length of the Cornice to butt on to the wall, scribing the opposite length to it, covering the joint with a mitre leaf, using a little putty on the edge of the leaf before pressing it into the angle. Then nail to battens and brackets.

Sheeting.—Our sheets are trimmed true, and always lap at the joint. When the Cornice is fixed, start fixing the sheets from the centre or side of the room, according to the spacing of the battens. To ensure a first-class job, temporarily tack the ceiling sheets in position, ascertaining if the lines are correct before completing the nailing. When all the sheets are nailed home, go over the joints with a small blunt tool, and tuck edges so that they lie close and even.

Showing Assembly of Diaper, Border Finish, Corner Blocks, etc., and method of fixing.



Battens spaced 12in. Centre to Centre.

Plan of Portion of Ceiling, showing Diaper No. **1055.** Pattern 12in.

Combination Border Cornice and Sheeting in Steel.

Internal and External Angle Mitre Blocks are supplied with Border Cornice.

These blocks materially assist in the economy and ease of fixing.



Section of Ceiling and Cornice showing spacing of wood battens on the Ceiling joists.



Stamped Steel Mitre.

STEEL WALL LININGS

24ins.

No. **1423.**

No. **1034.**

Sheets are fixed Vertically. In stock size sheets, 6ft. x 2ft.

Half a ton of Wunderlich Ceiling material covers 2,160 sq. ft., one half ton of $\frac{5}{8}$in. x 6in. wood lining boards covers only 737 sq. ft. Wunderlich metal has three times the covering capacity.



24ins.

No. **1149.**

With Horizontal Jointing.

Sheets in stock sizes, 6ft. x 2ft.

No. **173.** Single Beads.

With Vertical Jointing.

In stock size sheets, 6ft. x 2ft.

An Ideal Lining for Halls, Passages, Shops, Offices, Schools, etc.

12in.

No. **927.**

36 inches.

12in



No. **1431.**

These Dados supplied in stock size sheets 6ft. x 3ft. The unit of design being 3ft. high and 12 inches wide.

No. **1327.**
Frieze and Moulding.
12in. deep.

No. **1329.**
Sheets—
6ft. x 2ft.
Diaper Pattern only.

Dado No. **1349.**
Complete. Stock size sheets, 6ft. x 3ft.

HOW TO FIX DADOS AND WALL LININGS



No. **1368** Anglestrip External. No. **1369** Anglestrip Internal. No. **1370** Cornice Flange.

Dado and Wall Lining Materials are attached to battens fixed to plugs in the wall, or nailed to wood studs, but it is advisable that the lower three feet of the Metal Sheeting be attached to wood lining boards in lieu of battens. If the ceilings are also to be of metal, they should be fixed first.

1. Obtain the height of dado, and strike a perfectly horizontal line for top of dado panels, allowing for height of wood skirting.
2. Now fix the battens for Metal Sheeting in a similar manner as for Ceilings, bearing in mind that it is essential to get an equal amount of the pattern on each side of the room. A batten should be placed under each joint, and one under the centre of the sheet.
3. When all battens are in position, fix dado moulding and angle strips. (See No. 1368, 69, 70.)
4. Dado Panels and Metal Sheeting should now be fixed. Place the lower bead of the wall sheet along the flange on the dado moulding, and cut the pattern up to the bottom flange of the Cornice. To make a good joint where the sheets are cut against the cornice, an extra flange piece should be used under the Cornice. This piece (No. **1370**) should be fixed at the same time as the Cornice.

CENTRE FLOWERS

These Ornamental Centres are perforated and provide ample ventilation.

No. **50.**
12¾ inch diameter.

No. **335.**
20 inch diameter.

No. **52.**
14 inch diameter.

No. **55.**
18 inch diameter.

No. **1464.**
12¾ inch diameter.

No. **888.**
19 inch diameter.

No. **1505.**
15 inch diameter.

No. **1096.**
20¾ inch diameter.



No. **96.**
14½ x 14½ inch.
Depth 7in. Perforated.

ZINC AND STEEL VENTILATORS

HAMMERED COPPER
NAME PLATES, Etc.

No. **803.**
(Stamped in Steel.)
Open Face Ventilator.
Size 9in. x 6in.

Prices on application.



No. **142.**
Galvanised Steel Louvre Ventilator.
Size 9in. x 6in.



No. **1482.**
(Stamped in Steel, Galvanised or Painted.)
As illustration.
Open Face Ventilator.
Supplied with or without box flange for building in wall.
Size 9in. x 6in.

No. **1481.**
Hit or Miss Shutter.
(Swivel for Cord.)

No. **1480.**
Hit or Miss Shutter.
(Knob.)

No. **903.**
Copper Showers.
Stock Sizes—
8in. diameter x ¾in.
7in. diameter x ½in.
6in. diameter x ½in

No. **268.**
Finial.
Height, 2ft. 3in.
Special bases for Hips, etc., made to order.



No. **121.**
Cast Louvre Ventilator.
(Suitable for Brickwork.)
Size 9in. x 6in.



No **647.**
Scroll End Finial.
Galvanised Steel (double faced). Height, 11in.; base, 8in. Made to slip over ordinary roll ridge.
Section.

Galvanised Steel Window Hood.
No **1422.**
Projection, 2ft. 4in from face to wall.
Height, 2ft. 7in

The Hood can be applied to a wood or brick building by six screws. Fish Scale supplied in 6ft. lengths or under as required, or lengthened up to 7ft 6in For longer hoods a centre bracket is required.

STAMPED METAL FOR EXTERIOR WORK

Made from Galvanised Steel.

No. **989.** Galvanised Steel Blocks.

SIZES:

No. **989. Rock-faced Steel Blocks** supplied of the following dimensions:—

	Blocks to a sheet.
5ft. 10in. x 10⅛in. high ..	3
3ft. 10⅛in. x 10⅛in. high ..	2
1ft. 11¾in. x 10⅛in. high ..	1
1ft. 7⅛in. x 10⅛in. high ..	1
1ft. 4in x 10⅛in. high ..	1
1ft 2in. x 10⅛in. high ..	1
1ft. 1in. x 10⅛in. high ..	1
11⅝in. x 10⅛in. high ..	1

No. **990**, Pilaster Sheets, 1ft. 1½in. wide x 5ft 3in. high, 6 blocks to a sheet (vertical).

Voussoirs for Rock face Arches:—4ft radius, 6ft. 6in. radius, 14ft. radius, 17ft 6in. radius, 25ft. radius



3⅛in

No. **1046.** Brick Sheeting in Galvanised Steel. Stock size sheets, 6ft. x 2ft. 11in. Covering capacity, 5ft. 8in. x 2ft. 11in.

No. **189.**
Fish Scale Sheets in Galvanised Steel or Zinc. Supplied in sheets 6ft. x 3ft.; covering capacity, 5ft. 10½in. x 2ft. 10½in.; size of scale, 3⅜in. x 3⅜in.



No. **1045.** Rough Cast in Galvanised Steel. Supplied in sheets, 6ft. x 3ft.



No. **1504.** Galvanised Shingling Sheets. Stock size sheet, 6ft. x 2ft. Covering capacity 5ft. 5¾in. x 1ft. 10¼in.

A complete Wunderlich Shop Front, with Corridor and Island Show Window, Fittings and Awning, etc.

The advantages to be obtained by the use of Wunderlich Metal Products are brought home with force when an example like the one above is studied. Apart from its architectural attractiveness, it is practically indestructible, and can be cleaned and brightened up with the minimum of effort. In this example Wunderlich Metal Bars and Crystal Glass have been used in showcases and corridor windows; a large display area and lighting of the windows secured with no encumbrance of heavy and ungainly supports.

We will supply without expense to you sketches and suggestions for shopfronts or showcases, which will beautify your premises and increase your business.

SHOPFRONTS FOR ALL BUSINESSES

In businesses that rely for the sale of goods on their attractive value, it is most essential to have a proper environment or "atmosphere" for the display of such goods. It is conceded that proper window display is one of the first essentials of successful trading. Your goods will attract the attention of buyers and maximum results will be secured if displayed in Wunderlich Metal and Crystal Glass Windows and Showcases. A few other shop fitting accessories are:—Metal Letters, Stall Plates, Index Plates, Metal Grilles, Metal Gates, Leaded Lights, Mirrors, Pier Cases, Wall Tiles, Mosaic and Pavements, Awnings, Ceilings.

SHOWCASES THAT ATTRACT ATTENTION



Knock-down Showcase. Pack in flat sections suitable for transport.
Designs for all Classes of Business.

Metal Moldings with wood cores, used in forming all modern Show Windows, supplied in Polished Brass, Copper, and Silverite.

Below is a full set of sections for suite "E" in half full size; particulars of other sections on application.
Note: Bevel on door frame to take stile bar.



VERTICAL SECTION

SECTIONAL PLANS

Wunderlich Manufactures

The Illustrations on this page show the uses of Wunderlich Manufactures in Metal; Wunderlich Cottage, comprising Stamped Steel Ceilings, Wall Linings, with a Tiled Roof.

A WUNDERLICH COTTAGE

COPPER SPIRE ST JAMES CHURCH

METAL SHOP WINDOWS

METAL EXTERIORS



AWNINGS & SHOW CASES

WUNDERLICH ASBESTOS-CEMENT *("Durabestos")* SHEETS and SLATES

—Hydraulically Compressed—

A "DURABESTOS" HOME

DURABESTOS, the Durable — is made in Asbestos-Cement Sheets for Walls and Ceilings, also in Slates and Shingles for Roofing.

For the building of Bungalow Homes, Farm Buildings, Workshops, Factories, Garages, Stables, Boat-sheds, etc., it is efficient, and lends itself to artistic treatment. For strength, safety and economy it is recommended by architects and builders.

"Durabestos" is made from indestructible mineral-fibre asbestos—the most effective insulator. It is thoroughly incorporated with tested high-grade Australian Cement. Layer on layer builds up the sheet, which is submitted to powerful hydraulic pressure forming the fine-surfaced, even-graded ***"Durabestos"*** Sheets.

Wunderlich Manufactures

A MODEL KITCHEN

Walled and Ceiled with ***"Durabestos"***
the sanitary Asbestos-Cement Sheeting

By the use of ***"Durabestos"*** for Walls and Ceilings, a kitchen can be maintained in an hygienic condition, cool and comfortable for the day's work.

WUNDERLICH WATER PAINT
AND PETRIFYING LIQUID FOR DURABESTOS SHEETS

Water Paint gives a smooth, even finish on "Durabestos" Walling, for inside or outside work. Water paint can be used on Plaster, Brick, Stone or Wood. On account of its excellent covering properties, it is more economical than other flat paints or colour washes. Use our water paint for decorating Asbestos-Cement ("Durabestos") Buildings. Supplied in tins—Paste—7lb., 14lbs., 28lbs. and 56lbs. (14lbs. of water paint requires half a gallon of cold water).

WUNDERLICH ASBESTOS WALLS and ROOFING

("Durabestos")

FOR THE GARAGE



Your car is protected against fire or weather, housed in a ***"Durabestos"*** garage—the Asbestos-Cement Sheets and Slates will give you a building at a nominal expense—***"Durabestos"***—hard as rock, tough and true, will give the utmost satisfaction under the most extreme conditions.

"Durabestos" Sheets form the one absolute safeguard against sparks and fire, and with fire insurance—a rebate of 25% allowed when buildings are lined with ***"Durabestos"*** in lieu of weatherboards.

"DURABESTOS" for Outside Walls. The illustration shows the use of ***"Durabestos"*** Sheets for this purpose. They are strong, fire and weather proof, and indestructible.



WUNDERLICH Standardised Products have one feature in common—they are absolutely reliable and true to the name. In the use of ***"Durabestos"*** for outside walls, the problem of economy is answered, whilst the appearance of a complete ***"Durabestos"*** home leaves little to be desired. The standardisation of the product and its careful manufacture from the highest-grade materials guarantee its strength, safety and durability.

For Cottages and Bungalows where these features are essential, ***"Durabestos"*** particularly commends itself.

WUNDERLICH ASBESTOS SLATES AND SHINGLES

("Durabestos")

provide maximum results in durability, weather-resisting qualities and appearance.



"DURABESTOS" Roofing Slates and Shingles are recommended when an economical as well as an artistic result is desired. Made from mineral fibre and highest-grade Australian cement, these slates and shingles are weatherproof and a perfect insulation against the heat of summer.

They are an essential factor in the rapid building or renovation of properties, and a profitable investment.

Wunderlich Manufactures

WUNDERLICH ASBESTOS SHEETS and SLATES

("Durabestos")

SCHEDULE *of* SIZES

SHEETS—In Stock Sizes.

Size.	Thickness.	Quantity of Sheets in Crate.	Approximate Weights		
			Weight per sheet	Size of Crates	Weight of full Crate.
					cwt. qrs. lbs.
8 feet x 4 feet	3-16 inch	10	60 lbs.	12½ cub. ft.	6 2 0
4 feet x 4 feet	3-16 inch	20	30 lbs.	8½ cub. ft.	5 3 25
8 feet x 4 feet	5-32 inch	12	50 lbs.	12½ cub. ft.	6 2 0
4 feet x 4 feet	5-32 inch	24	25 lbs.	3½ cub. ft.	5 3 25

Studs, joists or rafters to be erected of even size timber to form a flat surface. Spacing for 4 feet sheets 2 feet centre to centre, an intermediate batten or bridging piece fixed for the joints at ends of sheet. Specially pointed nails pierce the sheets without fracture. Nail ⅜ inch from the edge every 6 inches, and where required on centre bearing of sheets. One half pound of nails for each square (100 super feet) of sheeting.

DIAMOND SLATES No. 1—In Stock Sizes.

Size.	Weight each.	Approximate Weights.			
		Crated per 100 slates.			Shipping Measurement.
		cwt.	qrs.	lbs	
16 inch x 16 inch	3 lbs.	2	3	17	4½ cubic feet.
12 inch x 12 inch	1¾ lbs.	1	3	0	3 cubic feet.

100 slates cover 100 super feet of roofing. Allow 105 slates for cutting eaves and hips to one sq. of roofing. 170 lineal feet 2in. x 1in. Oregon battens to sq. 100 copper crampons or hurricane clips. 1lb. 1⅛in. No. 13 galvanised Slaters' nails. 1lb. 2¼in. No. 11 wire nails for battens. Total weight Slates per 100 square feet—equals 320lbs. fixed.

160 Slates 12in. x 12in. required per square.
160 Crampons . . . . . per square.
1½lbs. nails; the slates to weather 9in. x 9in.

SHINGLES—In Stock Sizes.

Size.	Weight each	Approximate Weights			
		Crated per 200 shingles			Shipping Measurement.
		cwt	qrs.	lbs.	
12 inch x 6 inch	15 ozs.	2	0	0	2¾ cubic feet.
16 inch x 8 inch	22 ozs.	2	2	26	3 cubic feet.

Size 12in. x 6in. 480 slates to square (to cover 10 super feet). 240 lineal feet of 2in. x 1in. Oregon battens. 2lbs. 1⅛in. No. 13 slaters' nails. 1lb. 2¼in. No. 11 wire nails for battens.

Size 16in. x 8in. 260 slates to square (to cover 100 super feet). 150 lineal feet of 2in. x 1in. Oregon battens. 1½lbs. 1⅛in. No. 13 slaters' nails. 1lb. 2¼in. No. 11 wire nails for battens.

"CEILYTE"

The Australian Plaster Board



CEILYTE DESIGN FOR WALLS AND CEILING.

Ceilyte Ceiling of simple design, composed of sheets 6ft. x 3ft., showing panelling divided by Ceilyte strips 2in. x ¼in., or pine or oak fillets, 2½in. x ⅝in. This is a practical ceiling design that can be erected by any tradesmen. A room measuring 12ft. x 12ft. will require 8 sheets 6ft. x 3ft. and approximately 130 lineal feet of strips or fillets for the ceiling.

In Ceilyte Plaster Board we have obtained the much-desired plaster finish—yet in a more permanent and durable form—and the evidence from architects and enthusiastic users throughout the country proves the value of this form of artistic and labor-saving Ceiling and Walling.

Large stocks carried. All sheets perfectly matured and sent out in sound condition. Supplied in stock size sheets, 4ft. x 4ft.; 4ft. 6in. x 4ft. 6in.; 6ft. x 3ft.; 6ft. x 4ft., and other sizes when required. All standardised to a uniform thickness of ¼in.

Ceilyte is well adapted for transport by road, rail or sea. The weight is approximately 15lbs. per square yard (3ft. x 3ft.).

Ceiling joists and studs should be spaced to suit size of sheets used, viz.:—Sheets 4ft. wide, 2ft. centres; 3ft. wide, 18in. centres. All joists should be levelled up or battened.

The sheets are nailed to studs or joists with special flat-head galvanised wire nails, the joints being covered with Ceilyte Strips, Pine or Oak Fillets, Wood Moldings, or Wunderlich Metal Moldings, with bosses to suit breaks, corners, angles, etc. Sheets can be cut with a fine saw and the edges trimmed with a chisel.

Wunderlich Manufactures

WUNDERLICH

TERRA-COTTA

"MARSEILLES" Pattern ROOFING TILES

THE ROOF OF DISTINCTION AND DURABILITY.



Front Face of Tile.

The Wunderlich Terra-Cotta Tiles are manufactured in Australia.

These Tiles form a roof of distinction and durability which is within the reach of all home builders.

These Tiles retain their standard of quality—true to shape and size; the simplicity of fitting and general finish ensuring a substantial and durable roof. In texture and color schemes they afford facility to procure excellent Architectural effects. From the standpoints of economy, efficiency, durability and beauty, Wunderlich Terra-Cotta ***"Marseilles"*** Pattern Roofing Tiles are pre-eminently the roofing for Australian Homes.

TILERIES:

ROSEHILL, N.S.W.
BRUNSWICK, VIC.
EDWARDSTOWN, S.A.
LORD ST., EAST PERTH, W.A.

TERRA-COTTA ROOFING ACCESSORIES

No. **6104.**—Gable. | 11 inches |

No. **6033.**

No. **6104.**—Two Hip "A" | 11 inches |



No. **6204.**



No. **6331.**

No. **6202.**
Shell Hip End.

No. **6200.**
M. Ridge.

No. **6201.**
Splay Hip End.



No. **6049.**

No. **6194.**
17in. high.

These Roofing Accessories give finish and added decoration to the roof built of Wunderlich Tiles or Durabestos Roofing. They are obtainable in a variety of shapes and for all purposes and effects. A few are here shown.

No. **6218.**
9in. x 3in.



No. **6217.**
9in. x 6in.

No. **6226.**
Chimney Pot.

TERRA-COTTA AIR BRICKS.

We have a full range of Chimney Pots and Terra-Cotta Ridging to suit any style of Architecture that may be desired.

No. **6069.**
Ornamental Finials made to order. For gables or intersection of hips and ridges.

WUNDERLICH PRODUCTS FOR HOME BUILDERS

Manufactured by Australian Craftsmen

Wunderlich Metal Ceilings.

Stamped steel sheets in stock sizes, 6ft. x 2ft. One half ton weight covers 2,160 square feet. Cornices, Centres, Vent Panels and every kind of architectural design in stamped metal.

Terra-Cotta Roofing Tiles.

also Terra-Cotta Roofing Accessories in Chocolate, Red, Buff and Brindle colors.
Wunderlich Marseilles Pattern Terra-Cotta Roofing Tiles. Made at our Tileries: Rosehill, N.S.W.; Brunswick, Victoria; Edwardstown, S.A., and Perth, W.A.

"Durabestos," Asbestos-Cement.

Hydraulically compressed sheets and slates. Fireproof, insect proof and indestructible. Sheets made in sizes 8ft. x 4ft. Slates 16ins. x 16ins., 12ins. x 12ins., 16ins. x 8ins. Stocked in Blue-Grey. Color shingles made to order.

"Ceilyte" Plaster Wall Board.

Reinforced Fibrous Plaster Panels having hard, white surface. Wide range of sizes.

"Ceilyte" Ornamental Plaster Ceilings.

Artistic ceilings, beautifully modelled in a variety of original designs.

Shop Fronts and Show Cases.
Drawn Metal Bars and Crystal Glass.

Wunderlich Shop Fronts will beautify your premises and increase your business.
Any architect or builder will be pleased to discuss the advantages of Wunderlich Building Materials with you. If your local storekeeper or timber yard is unable to show you samples of the above materials, write direct to the Wunderlich Head Office or the nearest of the showrooms given below.

TRADE MARK

Founded in Sydney, 1887

WUNDERLICH LIMITED

Head Office: BAPTIST ST., REDFERN, N.S.W.

Showrooms:

SYDNEY: Baptist St., Redfern.
MELBOURNE: 243 Collins St.
ADELAIDE: 113-119 Currie St.
BRISBANE: Amelia St., Valley.
PERTH: Lord Street.
HOBART: 139 Macquarie Street.
LAUNCESTON: 71 St. John Street.
NEWCASTLE: 53 Hunter Street.

Wholly set up and printed in
Australia by
ARTHUR McQUITTY
451a Kent St.
Sydney